

KILLS 99.9% of
SARS-CoV-2 Virus
(COVID-19 VIRUS)
on hard, non-porous surfaces

**MOLD
ARMOR®**

**MOLD PREVENTER, DISINFECTANT,
& FLOOD CLEANUP**

**CONTROLS
THE GROWTH
OF MOLD & MILDEW**

**Kills germs, bacteria
& viruses***

CLEANS WITHOUT BLEACHING

ACTIVE INGREDIENTS:

Alkyl (50%C14, 40%C12, 10%C16)
dimethyl benzyl ammonium chloride.....0.034%
Octyl decyl dimethyl ammonium chloride.....0.026%
Didecyl dimethyl ammonium chloride.....0.013%
Dioctyl dimethyl ammonium chloride.....0.013%
OTHER INGREDIENTS:.....99.914%
TOTAL:.....100.000%

J9887

**NET CONTENTS:
1 QUART (946mL)**

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary
statements and first aid.

FUNGICIDAL PERFORMANCE: This product
kills the following fungi in 10 minutes on hard,
non-porous surfaces with 5% soil: *Candida albicans*,
Trichophyton interdigitale.

MILDEWSTATIC PERFORMANCE: This product controls the following mold
for 7 days on hard, non-porous surfaces with 5% soil: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP GENERAL, HOSPITAL, MEDICAL DISINFECTANT, VIRUCIDE*, DEODORIZER, CLEANER: 1. Pre-clean visibly soiled areas. 2. Apply this product to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 1 minute to kill SARS-CoV-2 and 10 minutes to kill all organisms listed on the label. 4. Allow to air dry. 5. Change solution when visibly dirty.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT: Pre-clean equipment if visibly soiled to ensure proper surface contact. Apply product to surfaces of the respirator with a sponge, brush, cloth, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 10 minutes. Rub with brush, cloth, or sponge. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Precaution: Cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.) The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134). Change solution when visibly dirty.

FOR USE AS A DISINFECTANT IN FOOD PROCESSING PLANTS/PREMISES: 1. Pre-clean visibly soiled areas. 2. Apply product undiluted to disinfect hard, non-porous surfaces with a sponge, brush, cloth, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 10 minutes. 4. Wipe dry or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to treat the following surfaces: utensils, glassware, dishes, or interior surfaces of processing equipment. 6. Change solution when visibly dirty.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water after treatment.

TO KILL FUNGI: Pre-clean visibly soiled surfaces. Apply product to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces and let air dry.

TO CONTROL MOLD/MILDEW: Apply product to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON HARD, NON-POROUS ATHLETIC EQUIPMENT: For use on wrestling and gymnastic mats, athletic mats, exercise equipment, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear, athletic shoe soles, and other hard, non-porous surfaces. Thoroughly clean surfaces with soap or detergent and rinse with water. Apply product by sponge, brush, cloth, hand pump trigger spray device, coarse trigger spray device.

**PRECAUTIONARY
STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

CAUTION. Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and freshwater aquatic invertebrates.

**PEEL
HERE** →

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. For medical emergencies, call Poison Control Center: 1-800-222-1222.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces with 5% soil: *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter cloacae*, *Enterobacteriaceae*, *Enterococcus faecalis*, *Enterococcus faecium*, *Escherichia coli* O25:H4 ST131, *Escherichia coli* O157:H7, *Klebsiella aerogenes*, *Klebsiella pneumoniae* (ATCC 13883), *Klebsiella pneumoniae* (NDM-1), *Legionella pneumophila*, *Listeria monocytogenes*, *Proteus mirabilis*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella enterica* Paratyphi B, *Salmonella enterica* Typhi, *Serratia marcescens*, *Shigella dysenteriae*, *Shigella flexneri* 2B, *Shigella sonnei*, *Staphylococcus aureus* (ATCC 6538), *Staphylococcus aureus* (ATCC 33591), *Staphylococcus aureus* (NARSA NRS 123), *Staphylococcus epidermidis*, *Streptococcus pyogenes*, *Vibrio cholerae*.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes on hard, non-porous surfaces with 5% soil: Avian Influenza A (H5N1) Virus, Avian Influenza A (H5N2) Virus, Hepatitis A Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Influenza A (H1N1) Virus, Influenza A (H3N2) Virus, Respiratory Syncytial Virus, SARS-CoV-2***, Vaccinia Virus.

***Indicates a 1-minute contact time is required for this claim.

BATCH LOT:

EPA Registration No. 10324-85-4091

□EPA Est. No. 61524-GA-1

□EPA Est. No. 18305-CT-1

Manufactured for:

W.M. Barr & Co., Inc.
6750 Lenox Center Court, Suite 200
Memphis, TN 38115
844-969-1373

©2024 W.M. Barr & Co., Inc.

FG552A / J11021



B-23

For spray applications,
spray 6-8 inches from surface. Do not
breathe spray. Do not use equipment until
treatment has set or dried. Repeat treatment every
seven days, or more often if new growth appears.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON LARGE, INFLATABLE, NON-POROUS PLASTIC AND RUBBER STRUCTURES: For use on non-porous plastic and rubber surfaces such as inflatable animals, promotional items, moonwalks, slides, and obstacle course play and exercise equipment. Thoroughly clean surfaces with soap or detergent and rinse with water. Apply product by sponge, brush, cloth, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Do not use equipment until treatment has dried. Repeat treatment every seven days, or more often if new growth appears.

WATER AND SMOKE DAMAGE RESTORATION

SEWER BACKUP & RIVER FLOODING: Remove gross filth or heavy soil along with non-salvageable materials. To use as a deodorizer, saturate all affected areas with a hand pump trigger spray device or coarse trigger spray device before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Use proper ventilation; open windows. (Not for use in CA.)

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES, AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP, AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Apply product directly with a hand pump trigger spray device or coarse trigger spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly. (Not for use in CA.)

WATER AND SMOKE DAMAGE RESTORATION: Effective against odor caused by smoke and water damage. This product is particularly suitable for use in water damage restoration. Saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation. (Not for use in CA.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.